



PATENT APPLICATION
EXPRESS MAIL No.EL660602876US
ATTORNEY DOCKET No. IQN0001
Client/Matter No: 82849.0002

SYSTEM AND METHOD FOR MATCHING HUMAN
RESOURCES TO HUMAN RESOURCE NEEDS

BACKGROUND OF THE INVENTION

1. Related Applications.

5 The present invention claims priority to copending U.S. Provisional Patent application serial No. 60/180,421 entitled ELECTRONIC RESOURCE MANAGEMENT SYSTEM filed February 4, 2000 the specification of which is incorporated herein by reference.

10 2. Field of the Invention.

The present invention relates, in general, to resource management, and, more particularly, to software, systems and methods for matching human resources to human resource needs of an organization.

15 3. Relevant Background.

The world economy is characterized by a scarcity of skilled human resources for a variety of jobs. As the educational and experience requirements increase in a technological society, the pool of people having necessary and desired skills becomes smaller. This creates a situation in which many jobs are chasing fewer and fewer skilled workers. This is complicated in many industries, employees tend to move from job to job every few years. This is particularly true of skilled employees and even more particularly true in the information technologies industries. An advantage in identifying, obtaining and

20
25

managing employees represents a significant strategic advantage for an organization.

5 It is increasingly difficult for employers to identify and hire qualified employees and contractors for particular positions. Human resource needs often arise suddenly and unpredictably, but must be filled quickly. With product development cycles and product life cycles becoming shorter, personnel with needed skills must be identified and hired quickly. At the same time, each
10 candidate and position must be sufficiently analyzed to make meaningful decisions.

Job matching systems tend to be modeled after bulletin boards where available positions and/or applicants are posted and the other party must
15 periodically peruse or search through the postings. This is inefficient because the participants are only made aware of other participants at the instant they conduct a search or log on. A new job applicant that registers moments after a search was performed will not be reported
20 to the searching party, for example. Hence, participants must access the system frequently and conduct searches to obtain ~~up-up-to-to~~ up-to-date information.

Search-based systems have limited ability to deal with the various words, terms and syntax used in the
25 postings. A given job posting, for example, is amenable to a variety of expressions and it is difficult, even with natural language search engines, to effectively search through the various listings and leave with certainty that the most relevant matches have been found by the search
30 engine. Many words and terms in the English language, when viewed in context, imply much more than the word's literal definition. Strict text-based matching used by

search engines miss these implications. Even fuzzy
matching, which is often based upon a word's syntax,
synonyms, antonyms and the like, tend to miss complex
meanings that are implied by simple words and the context
5 in which they are used. For example, a job applicant may
express that they have Java programming experience, which
a typical search tool will match with job descriptions
that call for Java experience. However, such experience
implies that the applicant has object-oriented programming
10 knowledge which would not be identified by conventional
search engines and fuzzy matching techniques. A need
exists for a system and method that overcomes the
limitations of search-based systems to detect, imply, and
deduce matches in a context-sensitive manner.

15 Another limitation of conventional systems is that
even where an applicant's abilities and skills are
accurately expressed, there is no way for the applicant to
express a desire to use those skills in future employment.
To retain workers it is desirable to find workers that are
20 interested in the job and interested in the skills
required by the job. For example, a person may be a
skilled Cobol programmer, but uninterested in taking a
position that uses those skills. Conventional worker
identification systems do not consider worker interests
25 and desires and so risk creating job matches that will be
difficult to manage and maintain over time.

In-person job matching through conventional
interviews and negotiation is inefficient, time consuming,
and expensive. Also, it tends to be biased as the
30 participants may express different needs and desires in an
attempt to satisfy perceived requirements of the other
party. This bias can result in sub-optimal matching of
human resources to human resource needs.

A need also exists for systems and software that provide services beyond the identification and matching of potential candidates to job openings. Once a match is defined the life cycle of a typical hiring process continues through negotiations, travel, interviews, testing, and contracting among other steps. These steps are typically managed manually using lists or personal information management products. Hence, a need exists for providing follow-up on services to manage the hiring process in an integrated fashion.

SUMMARY OF THE INVENTION

Briefly stated, the present invention involves a system for matching entities having needs to entities having capability to meet the needs. A plurality of needs profiles are created, where each need profile comprises a data record specifying attributes about a need. A plurality of capability profiles are also created, where each capability profile comprises a data record specifying set of attributes of an entity having a capability of meeting a need. A matching engine is coupled to repetitively and automatically examine the needs profiles and capability profiles to identify matched profiles, wherein a match comprises a set of profiles judged to be substantially compatible based upon correspondence of the attributes specified therein.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 shows an a networked computer environment in which the present invention is implemented;

Fig. 2 shows an ~~electronic commerce environment~~basic
business processes involved in an implementation of ~~in~~
~~which the present invention is implemented;~~

5 Fig. 3 shows a particular implementation of the
present invention;

Fig. 4 illustrates exemplary entities and data
transactions in an implementation of the present
invention;

10 Fig. 5 illustrates activities of a match manager
component of the present invention;

Fig. 6 illustrates data exchanges associated with an
actual employment or consulting contract being formed;

15 Fig. 7 shows exemplary state transitions involved in
the matching and post match management processes in
accordance with an embodiment of the present invention;

Fig. 8 illustrates functional components, typically
implemented as software, within an exemplary matching
engine;

20 Fig. 9 and Fig. 10 show exemplary user interfaces
used to enter job candidate information for use in a
profile; and

Fig. 11 and Fig. 12 illustrate profiles shown in Fig.
4 in greater detail.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

25 FIG. 1 shows an exemplary computing environment 100
in which the present invention may be implemented.
Essentially, FIG. 1 illustrates a network populated by

appliances coupled by various network interconnection devices including wide area networks (WANs) 110, local area networks (LANs), the public switched telephone network (PSTN) 102, public networks and the like.

5 Environment 100 includes a plurality of local networks 103 and 104 that comprise, for example, Ethernet networks, FDDI networks, Token ring networks and the like.

Essentially, a number of computing devices and groups of devices are interconnected through a network 101. For example, local networks 103 and 104 are each coupled to network 101 through connect servers 105. LANs 103 and 104 may be implemented using any available topology and may implement one or more server technologies including, for example a UNIX, Novell, or Windows NT, or peer-to-peer

15 type network. Each network will include distributed storage implemented in each device and typically includes some mass storage device coupled to or managed by a server computer. Network 101 comprises, for example, a public network such as the Internet or another network mechanism

20 such as a fibre channel fabric or conventional WAN technologies.

Local networks 103 and 104 connect one or more computing devices such as computing appliances 117. One or more appliances 117 may be configured as an application

25 and/or file server. Appliances 117 are used by job applicants, employers, "supplier agents" representing job applicants, and "hiring agents" representing employers to enter data, review data, and invoke services provided by human resources server 108. Each local network 103 and

30 104 may include a number of appliances 117 such as printers, file servers, mass storage and the like. Similarly, appliances 117 may be shared through network

101 to provide application and file services, directory services, printing, storage, and the like.

Environment 100 includes one or more network-connected human resources server(s) 108. Human resources
5 server 108 may be accessed by participants using appliances 117. By way of example, human resources server 108 implements data structures and methods to accept job descriptions from hiring entities, store job descriptions, post job descriptions for access by potential applicants
10 and other hiring entities and process employment inquiries and acceptances. Other optional features may also be included in human resources server 108 including storage and display of auxiliary information such as contractor rate information by location and/or skills.

15 The present invention also contemplates the connection of one or more third party auxiliary service providers 111. Auxiliary services 111 comprise, for example, services to manage candidate background checks, reference checks, drug testing, and similar services that
20 may add value or information to an exchange between participants. For example, a credit reporting agency may provide real time background information on a particular job applicant or potential employer. Because the information provided by auxiliary services 111 can be
25 accessed in near real time, it may be readily factored into the total cost/benefit analysis of a particular exchange.

Human resources server 108 may also provide specialized services such as computation and comparison of
30 employment offers and job descriptions using unique data that describes individual participants. Selecting employment from among a pool of available positions is a

difficult decision involving many factors such as cost of relocation, salary, cost of living, commuting distance, and the like. Many of these factors are unique to a particular applicant. The optional specialized services
5 in accordance with the present invention provide tools to compare diverse offers with consideration to applicant-specific preferences. Similarly, these specialized services assist in comparing applicants by taking into consideration relocation costs, employment agency costs,
10 and other employer-specific factors that may differentiate between competing applicants.

Each of the devices shown in FIG. 1 may include memory, mass storage, and a degree of data processing capability sufficient to manage their connection to
15 ~~network~~Internet 101. The computer program devices in accordance with the present invention are implemented in the memory of the various devices shown in FIG. 1 and enabled by the data processing capability of the devices shown in FIG. 1. In addition to local memory and storage
20 associated with each device, it is often desirable to provide one or more locations of shared storage (not shown) that provides mass storage capacity beyond what an individual device can efficiently use and manage. Selected components of the present invention may be stored
25 in or implemented in shared mass storage.

Fig. 2 illustrates basic business processes involved in an implementation of the present invention while Fig. 3 illustrates functional components in an exemplary software architecture in accordance with the present invention to
30 implement the processes of Fig. 2. Essentially, the present invention provides an integrated solution for identifying workers having skills that meet job specifications in identification process 201.

Identification process 201 also involves identification of jobs that have specifications meeting the desires and preferences of particular skilled workers. Process 210
201 includes matching engine processes 311 (shown in Fig.
5 3) for ~~enable~~enabling a hiring manager to quickly identify a "short list" of qualified and available candidates for an available position. Process 201 provides functionality for hiring managers to efficiently post, edit and delete job descriptions. Once a match is
10 created, match manager processes 312 automate the life cycle of the procurement process 202. It allows participants to automate the workflow of finding a qualified candidate as well as placing and managing that candidate in their organization.

15 Hiring managers may optionally submit job descriptions to a selected supplier list in process 201. Methods are included to enable hiring managers to manage interactions between the suppliers of the qualified applicants. Process 201 also provides equivalent
20 functionality for the suppliers of candidates in posting, editing and deleting profiles or portfolios that are used to match against the job specifications. In a particular implementation, suppliers of resources automatically or manually match their candidates to jobs that they are made
25 aware of via the Internet or by explicit notification.

While many features of the present invention involve identification process 201, it is important to understand that these processes affect downstream processes such as procurement processes 202 and management processes 203.
30 Procurement processes 202 includes interview scheduling processes 322 and employs messaging processes 334 to enable an employer and a candidate to move beyond the generation of a match and discuss specifics of a job

opportunity. Exemplary functions include exchanging protected information between the parties (including sending company information and contact information to the participants), reviewing a detailed profile of the candidate, scheduling interviews with the candidate, and capturing interviewer feedback on a candidate in an on-line repository.

Processes 202 optionally include skills validation process 321 including pre-employment screening processes to provide independent verification of skills that are listed on the candidate profile. It is contemplated that these optional functions may include scheduling on-line testing of available skills tests with the candidate, scheduling independent verification of specific skill categories with candidate, entering and/or reviewing test or verification results on-line, and interfacing with other repositories of skills certifications. Processes 202 may also provide a means to manage candidate background checks, reference checks, drug testing, and the like using, for example, auxiliary services 111.

Procurement process 202 provides interface(s) through which participants may perform contract management functions. Procurement process 202 optionally includes automated contract management components 323 (shown in Fig. 3) that are used when the employer and job seeker are ready to enter into a contract for services. Employers and job seekers may enter a new contract/consulting agreement or copy one from an existing template or archive. The participants may extend and/or approve contract offers on-line in a preferred implementation. In other implementations, participants may receive automatic notification of contract termination, perform contract reporting to compare budget to actual dollars, percentage

completion analysis and the like. Directly or through auxiliary services, procurement processes 202 optionally perform compliance reporting (EEOC, MBE/MWBE).

5 The procurement processes are typically provided to contract participants which may be supplier agents and hiring agents working on behalf of employees and employers, respectively. It is contemplated that procurement processes 202 may be provided directly to employees and/or employers even though the identification
10 processes were provided indirectly through their respective agents. These modification and alterations are equivalent to the processes described herein.

Optional management processes 203 implement various interfaces and processes that enable participants to
15 manage an employment contract after it is formed. Management processes 203 are particularly desirable in contract employment situations where the employment contract specifies certain activities, billing arrangements, payment arrangements, and progress criteria.
20 A time and expense management component ~~331~~341 provides interfaces to the processes associated with consultant timesheets and expense reports as a particular example. Component ~~331~~341 includes entering and submitting timesheets and expense reports associated with specific
25 work orders, reviewing and approving consultant timesheets and expense reports, including partial approval capability and support for multi-level approval chains, and reporting time and expense by work order, consultant, supplier firm, and the like. An interface through which clients may
30 approve consultant time and expense may also be provided.

Automated payment services and billing module ~~332~~342 uses data captured through components such as time and

expense component ~~331~~341 to generate and track invoices to customers, and payment received from customers. The processes associated with invoicing and payment of services may be performed electronically, using technology
5 such as XML and the OFS data interchange format either directly or through auxiliary services 111. Contemplated functions include generating electronic invoices based on time and expense report approval, consolidating multiple vendor/supply sources into a single invoice, cross-
10 referencing invoices to timesheets/expense reports, approving electronic invoices, and allowing electronic transmission of funds based on approved invoices.

As shown in Fig. 3, in a particular implementation of the present invention business processes 201, 202 and 203
15 are implemented on top of foundation processes 310. Foundation processes 310 include components such as Enterprise Java Beans, Servlets, Oracle 8i relational database technology, Web Logic application servers connected together using industry standard APIs and
20 protocols in a particular implementation. Using a Java 2 Enterprise Edition (J2EE) architecture enabled the present invention to be implemented using an application service provider (ASP) model that provides browser-based universal access for a wide range of user types, reducing
25 operational management complexity and cost of ownership. The architecture shown in Fig. 3 leverages a software component model that gives flexibility in deploying, managing and reusing business logic and allows incremental development and deployment of application components.
30 This implementation also permits integration with third party applications by wrapping logic using enterprise Java Bean technology. Moreover, the architecture shown in Fig. 3 enables a robust enterprise environment that provides a

scalable, consistent architecture with 7x24 availability on the World Wide Web (WWW).

5 The J2EE standard provides a model for developing distributed applications that are multi-tiered and use a thin-client strategy. Such applications are desirable for delivery via the Internet to conventional web browser software. This implementation reduces demands on client-side systems and enables a wide variety of appliances 117 (shown in Fig. 1) to access the human resources services 108.

15 The application is partitioned both across tiers and across functional groups. Partitioning across tiers allows distributed deployment, robustness under load stress and hardware failures, and integration of disparate component technologies and legacy applications into an integrated whole. Partitioning across functional groups permits easy expansion of application functions, modification of existing functions, as well as separate, specialized deployment of different functional groups 20 based on user demand or hardware optimizations.

25 Common application components 330 are leveraged across all of processes 201, 202 and 203. Personalization component 333 enables the look-and-feel provided to participants to be customized to match the appearance of client and/or vendor web-sites, allowing functionality to be seamlessly integrated into customer intranets and web sites. The sequence of operations performed during the hiring process may also be tailored to a particular customer. As nearly all aspects of the hiring process in 30 accordance with the present invention are data-driven (as opposed to event driven), users may be given the capability to tailor the application to match their hiring

process by providing them with the tools to safely and consistently define their own data driving the hiring process.

Management reporting component 332 augments reports from other components, by providing additional general management reporting capabilities using the valuable data assets within the system. Component 332 provides various general reports generated from the system's data. Contemplated report types include consultant performance rating, supplier efficiency rating, inactive supplier/consultant reporting, and customer-driven reporting of available public information. Desirably, the system will also provide the ability for users to create their own customized reports to enable them to turn their own data into valuable information.

Security component 331 enforces access controls on user data. A user may explicitly define who may view or edit data owned by the user, or act on messages generated for the user. Users may designate particular information (e.g., salary ranges) as confidential. User contact information is typically held confidential until explicitly released by the user.

In a particular implementation, the systems are protected against hostile network attack via a combination of FireWall-106 software and IP security services provided by the Internet service provider 107 that provides connectivity between ~~network~~ Internet 101 and human resources server 108. Administrative access to systems is controlled via available remote access software.

Fig. 4 illustrates exemplary entities and data transactions in an implementation of the present invention. Human resources server 108 enables

transactions between hiring agents 401 and human resource suppliers 402. Hiring agents represent staffing agencies, human resource departments and personnel, and similar entities that are tasked with supplying human resources to meet the needs of one or more jobs. A hiring agent 401 may be an employer or an entity contracted to find skilled workers on behalf of an employer. Human resource suppliers 402 represent staffing agencies, job shops, headhunters and similar entities that represent one or more candidates or job applicants. It is contemplated that job applicants may access the system directly as well.

Hiring agents 401 generate one or more profiles 404, shown in more detail in Fig. 11 that include attributes of job descriptions including information such as employer name, job title, salary, and other contract terms. Profile 404 will include some data that is public in that it can be shared with other participants with access to human resource server 108. Profile 404 also includes restricted and private data that can be used by human resource server 108 but is either not shared with other participants or is shared with other participants according to rules specified by the associated hiring agent 401. In this manner, profile 404 becomes an autonomous agent on behalf of the particular job represented by the profile 404 as it embodies self-contained rules enabling the use of data contained therein.

Supplier agents 402 also generate one or more profiles 406, shown in more detail in Fig. 12, that include attributes of particular job applicants including information such as name, location, experience, educational background, salary needs, and the like. Like

profile 404, profile 406 will also include some data that is public as well as restricted and private data that can be used by human resource server 108 but is either not shared with other participants or is shared with other participants according to rules specified by the associated supplier agent 402. In this manner, profile 406 becomes an autonomous agent on behalf of the particular job candidate represented by the profile 406 as it embodies self-contained rules enabling the use of data contained therein.

Human resources server 108 uses messaging component 334 (shown in Fig. 3) to receive and store received profiles 404 and 406 in data structures 414 and 416, respectively, in a manner that is continuously accessible. Human resource server 108 uses match engine 311 to autonomously monitor data structures 414 and 416. In contrast with search engine based solutions, match engine 311 is self-invoked or is invoked automatically upon the addition of profiles 404 and/or 406 to identify matches between profiles 404 and 406.

Match engine 311 compares each job profile 404 against each job applicant profile 406 and generates one or more scores ~~indicated~~indicating a degree of compatibility between the profiles. Match engine 311 generates a match record for each profile match. The match record includes identification information associated with the matching profiles 404 and ~~408~~406 as well as match scores. Each match record has two different scores, how well the candidate meets the job requirements (this score is available to both the hiring agent and the supplier agent and determines whether or not a match record is created (i.e. over the threshold). The other score is how the job meets the candidate's requirements.

| In the preferred implementation, this second score is only shown to the supplier agent).

Match engine 311 generates a match list 407 of candidates having profiles 406 that are substantially
5 compatible (i.e., have match scores greater than a predetermined threshold) with a particular profile 404. The match list 407 includes the one or more scores for use by hiring agent 401 in assessing and comparing various candidates represented in the list. Match list 407 is
10 communicated using messaging component 334 to the hiring agent 401 corresponding to the profile(s) 404 that are involved in the match.

Match engine 311 also generates one or more scores indicated a degree of compatibility of profiles 404 with a
15 particular profile 406. These scores reflect how well a particular job matches the requirements specified by a job applicant. Although the scores delivered to hiring agent 401 and the scores delivered to supplier agent 402 arise from the same set of data, they may differ in value when
20 the scoring algorithms take into account the differences in perspective between a hiring agent and a job applicant.
| ~~In a particular implementation the~~

Match list 408 comprises job descriptions and match records having profiles 404 that are substantially
25 compatible (i.e., have match scores greater than a predetermined threshold) with a particular profile 406. The match list 408 includes the one or more scores for use by supplier agent 402 in assessing and comparing various job descriptions represented in the list. Match list 408
30 is communicated using messaging component 334 to the supplier agent 402 corresponding to the profile(s) 406 that are involved in the match.

In the particular implementation, messaging component 334 is the primary interface for users when first connecting to human resources server 108. Through this interface a user is immediately informed of objects in the system upon which the user may take action. The messaging component 334 provides email message capability to send notification of events within the business workflow to provide real time hiring process management. These notifications are configurable for each user and can be related to or triggered by events, (e.g. a match is accepted by hiring agent 401) or to non-events (e.g. a hiring manager 401 accepted a match on a supplier's candidate but two days have elapsed since acceptance).

Messaging component 334 may also be used for more sophisticated delivery of discrete units of functionality to appliances 117 such as hand-held smart devices, such as a personal digital assistants, smart cards and or smart phones. These discrete units of functionality (analogous to browser applets) may be executed on the hand-held device to interact with the systems of the present invention and perform operations such as accepting a match, submitting a time sheet, or approving an expense report.

Once one or more matches are identified, match manager component 312 handles workflow tasks such as generating match list 407 as well as further tasks shown in Fig. 5 and Fig. 6. A hiring agent 401 may review a match list and accept or express interest in one or more matches by generating a message 501 to server 108. Depending on the business rules in effect, match manager 312 may notify supplier agent 402 upon receipt of message 501, or take alternative action such as providing detailed information message 502. Message 502 includes, for

example, information that may have been designated as restricted by the job applicant or supplier agent 402 and released only upon an expression of specific interest by a hiring agent 401. The exchange of messages 501 and 502
5 may continue iteratively as hiring agent 401 gathers additional information about a particular identified match.

On the supplier agent side, a match list 408 is reviewed and supplier agent 402 may also accept or express
10 interest in one or more matches by generating a message 511 to server 108. Depending on the business rules in effect, match manager 312 may notify hiring agent 401 upon receipt of message ~~502~~511, or take alternative action such as providing detailed information message 512. Message
15 512 includes, for example, information that may have been designated as restricted by the hiring agent 401 or employer and released only upon an expression of specific interest by an supplier agent 402. The exchange of messages 511 and 512 may continue iteratively as supplier
20 agent 402 gathers additional information about a particular identified match.

Fig. 6 illustrates data exchanges associated with an actual employment or consulting contract being formed. Although Fig. 6 suggests the contract is between hiring
25 agent 401 and supplier agent 402, it should be understood that it is intended that a contract is formed between a candidate employee or contractor and a corresponding employer and the respective agents only represent these parties. An offer message 601 is communicated by one of
30 the parties, typically the hiring agent 401, to human resources server 108. The offer is communicated to the other party, typically supplier agent 402, which can then reject or accept the offer by an accept message 602. Once

an offer message 601 and an accept message 602 have been communicated, a contract is formed. Contract message 603 is communicated to both parties, preferably including a contract summary or fully executed viewable/printable
5 version of the engagement contract. In a particular example, human resource server 108 updates profiles within data stores 416 and 418 to indicate the effects of the contract (e.g., the position and candidate are no longer available for matching).

10 Fig. 7 shows exemplary state transitions involved in the matching and post match management processes in accordance with an embodiment of the present invention. Initially profiles exist in an unmatched state until a suitably compatible profile is identified by match engine
15 311. During the unmatched state, a job requisition will compare all candidate profiles that are "active" and are associated with a list of supplier agents specified within the job requisition. When a candidate profile meets the defined threshold, a match is identified, an automatch
20 record is created, and the profiles are transitioned to an automatched state which indicates that the resource profile 406 is substantially compatible with an associated job specification profile 404.

Optionally, the auto-matched state may be entered
25 manually when a supplier agent 402 or hiring agent ~~403~~401 "forces" a match by bypassing the match engine processes. This enables a supplier agent 402 to generate a match record for a candidate that was either "inactive" or did not meet the scoring threshold. These candidates profiles
30 still go through the match engine for scoring, but are not subject to the minimum threshold test ordinarily applied to automatches. Another optional feature enables a hiring agent specify a named resource or candidate on the job

requisition which will similarly force a match irrespective of the scoring and thresholds.

5 The automatch state is exited when either the supplier agent 402 or hiring agent 401 accept or reject the automatch. If either agent rejects the automatch, the hiring process is terminated. The process may be terminated as well when one agent responds, but the other does not, or when neither agent responds within a selected period of time. Both agents must accept the match to
10 transition to a "courting" state.

The courting state indicates that both parties have indicated willingness to pursue the match. In the courting state, the parties may exchange the private information in accordance with pre-specified disclosure
15 rules. Match manager component 312 tracks progress of various sub-processes that are optionally employed. The courting state includes one or more sub-states handling the various sub-processes. A match need not pass through all sub-states to make the transition to the interview
20 pending state, and there is no order imposed on the transition between sub-states (i.e., the processes are concurrent). Exemplary ~~sub~~sub-states of the courting state include background checking, reference checking, skill validation and the like. Background checking refers
25 to background checks such as drug tests, criminal history checks, credit checks, BI/SBI, and the like. Reference checks involve contacting references identified by the job applicant, for example and may include checking on-line ~~post~~past-performance information maintained by human
30 resource server 108 itself. Skill validation involves ~~is~~ certifying any abilities for which hiring agent 401 has requested certification.

Upon satisfactory completion of courting state ~~sub~~
sub-processes, the match transitions to an interview state
where in person, telephone, video conference or other
interview processes are executed. Typically a job
5 applicant is interviewed by one or more representatives of
hiring agent 401 or the actual employer represented by
hiring agent 401.

The interview state is typically exited by
communication of an offer to a job applicant at which time
10 the offer pending state is entered. The offer pending
state may persist for a variable length of time while an
offer is considered and counteroffers and negotiations
take place. Upon reaching an agreement, an acceptance is
communicated resulting in a transition to a contracted or
15 closed state.

Fig. 8 illustrates functional components, typically
implemented as software, within an exemplary matching
engine 311. In a particular implementation, three
separate matching processes are performed to generate
20 three distinct scores for each match. In each of the
matching processes, data from profile databases 414 and
416 is used to generate scores for both the supplier agent
402 and the hiring agent 401. The matching processes
generate a similarity index using the structured format of
25 profiles 404 and 406 in combination with a hierarchical
and context-sensitive analysis of words and terms used to
create profiles 404 and 406. In this manner, the matching
processes identify a larger set of meaningful matches and
may be used in combination with available fuzzy logic
30 matching techniques. Once a similarity index is
determined, scores are computed by normalizing and
weighting factors to the index.

The final scores are normalized to a convenient scale such as 1-100 that provides a quantitative assessment of the substantiality of the compatibility between two profiles. Skills and education component 801 matches skills requirements as well as educational requirements listed within profiles 404 and 406. Location component ~~803~~—802 generates a matching score on geographic preferences and/or requirements. Compensation component 803 generates a score based on compensation desires and requirements. While it is possible to mathematically combine these three scores into a single index using weighting algorithms, the particular implementation provides the scores separately so that the hiring agent 401 and/or supplier agent 402 have more information upon which to base their decisions and negotiations.

Fig. 9 and Fig. 10 show exemplary user interfaces used to enter job candidate information for use in a profile 406. Similar user interfaces are used to obtain hiring agent or job specification information. Fig. 9 and Fig. 10 shows an interface generated in a web browser window in a Microsoft Windows operating environment, although other operating environments and user interface platforms that can display user input controls, including command line input screens, would be appropriate substitutes in some applications. The interfaces shown in Fig. 9 and Fig. 10 include a plurality of user input controls such as text input boxes, radio buttons, check boxes, pull down boxes and the like. Information and instruction is conveyed by text fields positioned adjacent the appropriate user input controls although instruction may be conveyed by floating help boxes as well as audio, video and multimedia communication means. In Fig. 9 and Fig. 10 the user input controls correspond to attributes

in a profile 406 that can be communicated to and persistently stored in human resources server 108.

In Fig. 9 the information that is gathered includes basic identification information such as name, job title, social security number, and contact information. Status information indicates weather the associated job applicant is actively seeking another position. Resource type information enables the user to distinguish between contract employees and permanent employees, for example. Other information is gathered for use in matching with job description profiles 404 such as availability dates and an indication of supplier agent(s) that are managing the particular job applicant.

In addition to the identification and management information, job applicant skills, education, roles, and preferences are indicated in various user input controls shown in Fig. 9 and Fig. 10. In Fig. 9, the user scrolls through a constrained list of skill titles and selects the "add skill" button to add the skill to the inventory list shown in Fig. 10. Similarly, the user selects from a constrained list of applicable roles and selects the "add role" control to include the role on the inventory list of Fig. 10. Once all applicable skills and roles have been identified, the interface shown in Fig. 10 is presented to obtain applicant-specific quantification of the skills and roles selected. An exemplary set of quantification information includes a judgment as to relative level of a particular skill (e.g., selected from "novice", "trained", "intermediate", "expert" and "guru" in the particular example). Any gradation and granularity of skills rating can be applied. Years of experience tends to be a numeric input that is constrained to

reasonable year ranges (e.g., less than one year to 40 years).

One feature of the present invention is that preferably a "Preference" control is associated with each skill/role. This enables the job applicant to indicate whether he/she desires to use a particular skill in a future job assignment. Even where the skill or role is listed as "not required", match engine 311 can use the information provided to ensure better matches while appropriately reflecting the preference in the score given to the supply agent 402.

Another feature of the present invention is the ability to select visibility on an attribute-by-attribute basis. A particular attribute may be indicated as private, public, or protected in the particular example. Public variables will be available to a wide range of participants, whereas private variables may not be communicated to other participants (although still used by match engine 311). Private attributes may be communicated under very restrictive conditions in some implementations. Restricted attributes can be disclosed as specific states in the hiring process such as the "courting" state described in reference to Fig. 7.

Other information that may be included are a resume, and compensation information. These items may also be access-controlled by public, private and restrictive labels. Any type and variety of other information may be collected and stored in a profile 406.

Although the invention has been described and illustrated with a certain degree of particularity, it is understood that the present disclosure has been made only by way of example, and that numerous changes in the

combination and arrangement of parts can be resorted to by those skilled in the art without departing from the spirit and scope of the invention, as hereinafter claimed.

ABSTRACT OF THE DISCLOSURE

A system for matching entities having needs to entities having capability to meet the needs. A plurality of needs profiles are created, where each need profile
5 comprises a data record specifying attributes about a need. A plurality of capability profiles are also created, where each capability profile comprises a data record specifying set of attributes of an entity having a capability of meeting a need. A matching engine is
10 coupled to repetitively and automatically examine the needs profiles and capability profiles to identify matched profiles, wherein a match comprises a set of profiles judged to be substantially compatible based upon correspondence of the attributes specified therein.